






# PLASCORE PHARMA

Your cGMP architectural envelope provider



**PLASCORE®**  
MODULAR CLEANROOMS



# PLASCORE MODULAR CLEANROOMS

Located in Zeeland, Michigan, Plascore is a leading manufacturer of modular cleanroom architectural envelopes specifically designed for the pharmaceutical and life sciences industries. Our ceiling, wall, door, window, and utility chase options are designed to be flexible, smooth, flush, and easily cleanable to meet the demands of the most stringent ISO standards.



## ● MODULAR CEILING SYSTEMS

- The walkable ceiling option is a 2" thick panel with a maximum nominal size of 5'x10'. The walking surface is flush, with a galvanized steel finish. The finished (room) side has a uPVC coated galvanized steel skin. Multiple loading options are available.
- The non-walkable liner ceiling option is a ½" thick panel with a standard size of 4' x 8' utilizing concealed fasteners and clips. This is a cost-effective alternative to a gasketed ceiling grid.

## ● MODULAR WALL SYSTEMS

- The studless wall option is a 2" thick panel with a maximum nominal size of 4'x16'. Both sides of the panel have a uPVC coated galvanized steel skin, and an integral UL approved electrical raceway on each edge.
- The liner panel wall option is a ½" thick panel with a maximum nominal size of 4' x 16'. The finished (room) side has a uPVC coated galvanized steel skin. The panel is attached to the wall substrate with Z-clips.

## ● MODULAR WINDOW SYSTEMS

- The progressive window option is 2" thick assembly, with ¼" tempered glass on each side. The windows are flush with the adjacent wall system.
- The glass wall option allows for 3/8" or ½" glass to be set into epoxy painted aluminum hardware. The entire assembly is cleanable and integrates seamlessly with the other Plascore components.

## ● MODULAR DOOR SYSTEMS

- The door option includes a 2" thick frame and 1¾" door leaf. Both are welded (seamless), epoxy coated aluminum. The 2" frame allows for a flush condition at the wall panel and has concealed attachment points within the frame.
- FRP, stainless steel, and glass door options are available. Contact the Plascore Modular Cleanroom sales representative for more information.

## ● ADDITIONAL BENEFITS

- All ceiling and wall systems have rolled edges and are bonded to an aluminum honeycomb core.
- All panel joints are filled with a cold-weld adhesive that meets the same performance requirements as the uPVC finish.
- Raised return air wall options can be provided up to 24" in depth.
- All coving is 2" radius PVC with preformed inside and outside corners to provide for continuous cleaning.
- Epoxy coated ceiling frames can be provided for filter installation based on sizes required.







**Corporate Headquarters**  
**Plascore Incorporated**  
615 N. Fairview St.  
Zeeland, MI 49464-0170

Phone: 616.772.1220  
Toll-Free: 800.630.9257  
Fax: 616.772.1289  
plascore.com  
sales@plascore.com



**Europe**  
**Plascore GmbH & Co.KG**  
Feldborn 6  
D-55444 Waldlaubersheim  
Germany

Phone: +49(0) 6707.9143 0  
Fax: +49(0) 6707.9143 40  
plascore.de  
sales.europe@plascore.de

**Pharma Systems**  
**Sales Manager**  
**Joe Nelson**

Phone: 616.566.2552  
Email: joe.nelson@plascore.com

*For your microelectronic needs, contact Carl Bosch at carl.bosch@plascore.com or 616.748.2248.*



Plascore, Inc. employs a quality management system that is AS/EN/JISQ 9100, ISO 9001:2008 and ISO 14001:2004 certified.

**IMPORTANT NOTICE:** The information contained in these materials regarding Plascore's products, processes, or equipment is intended to be up-to-date, accurate, and complete. However, Plascore cannot guarantee that this is always the case. Accordingly, it is a purchaser's or user's responsibility to perform sufficient testing and evaluation to determine the suitability of Plascore's products for a particular purpose. Information in these materials and product specifications does not constitute an offer to sell. Your submission of an order to Plascore constitutes an offer to purchase which, if accepted by Plascore, shall be subject to Plascore's terms and conditions of sale. PLASCORE MAKES NO WARRANTIES OF ANY KIND REGARDING THESE MATERIALS OR INFORMATION, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Plascore owns and shall retain all worldwide rights in its intellectual property, and any other trademarks used in these materials are the property of their respective owners. The information in these materials shall not be construed as an inducement, permission, or recommendation to infringe any patent or other intellectual property rights of any third parties. 2021 Plascore, Inc. All Rights Reserved. v4.6.2021